Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) A <u>multilayer</u> coating for a carbon-containing component, the coating comprising <u>at least two layers</u>, <u>wherein each of said layers comprises</u> a material selected from the group consisting of:

non-stoichiometric compounds of silicon and carbon;

5

10

non-stoichiometric silicon and oxygen;

non-stoichiometric silicon and nitrogen

compounds of silicon, oxygen, and carbon;

compounds of silicon, oxygen and nitrogen;

compounds of silicon, nitrogen, and carbon;

compounds of silicon, oxygen, nitrogen, and carbon; and

silicon; the coating being halogen-free.

- 2. (Withdrawn) The coating of claim 1, wherein the material is non-stoichiometric silicon and carbon.
- 3. (Withdrawn) The coating of claim 1, wherein the material is non-stoichiometric silicon and oxygen.
- 4. (Withdrawn) The coating of claim 1, wherein the material is non-stoichiometric silicon and nitrogen.

- 5. (Currently amended) The coating of claim 1, wherein the material is a compound of silicon, oxygen, and carbon carbon-containing component comprises a carbon-carbon composite material.
- 6. (Withdrawn) The coating of claim 1, wherein the material is a compound of silicon, oxygen, and nitrogen.
- 7. (Withdrawn) The coating of claim 1, wherein the material is a compound of silicon, nitrogen, and carbon.
- 8. (Withdrawn) The coating of claim 1, wherein the material is silicon.
- 9. (Withdrawn) The coating of claim 1, wherein the material is a compound of silicon, oxygen nitrogen, and carbon.
- 10. (Currently amended) The coating of claim 1 claim 5, wherein the coating includes multiple layers, at least one of the layers being made of the material selected from the group carbon-containing component comprises a plate-fin heat exchanger.
- 11. (Original) The coating of claim 1 wherein the coating has a graded composition through its thickness.

12. (Canceled)

13. (Currently amended) A <u>multilayer</u> coating for a carbon-containing component, the coating comprising <u>at least two layers</u>, <u>wherein each of said layers comprises</u> a material selected from the group consisting of: silicon (Si);

5

10

silicon oxide (SiO_x);
silicon carbide (SiC_y); silicon oxycarbide (SiO_xC_y);
silicon nitride (SiN_z);
silicon oxynitride (SiO_xN_z);
silicon carbonitride (SiC_yN_z); and
silicon oxycarbonitride (SiO_xC_yN_z);

wherein x < 2, y < 1 and z < 4/3, and at least one of x, y, and z is greater than zero; and wherein the coating is halogen-free.

Claims 14-21 (Canceled)

silicon,

22. (New) A coating for a carbon-containing component, wherein said coating comprises at least one material selected from the group consisting of:

non-stoichiometric compounds of silicon and carbon; non-stoichiometric compounds of silicon and oxygen; non-stoichiometric compounds of silicon and nitrogen; compounds of silicon, oxygen, and carbon; compounds of silicon, oxygen, and nitrogen; compounds of silicon, nitrogen, and carbon; compounds of silicon, oxygen, nitrogen, and carbon; and

wherein said carbon-containing component comprises a carbon-carbon composite material.

- 23. (New) The coating of claim 22, wherein said coating comprises at least two layers, wherein each of said layers comprises a material selected from said group.
- 24. (new) The coating of claim 23, wherein each of said layers comprises a compound selected from the group consisting of silicon carbide

(SiC_y); silicon oxycarbide (SiO_xC_y); silicon carbonitride (SiC_yN_z); and silicon oxycarbonitride (SiO_xC_yN_z), wherein x < 2, y < 1 and z < 4/3, and at least one of x, y, and z is greater than zero.

- 25. (New) The coating of claim 24, wherein the carbon (C) in said compound is chemically bound.
- 26. (New) The coating of claim 22, wherein said carbon-containing component comprises a plate-fin heat exchanger.
- 27. (New) The coating of claim 22, wherein said coating is applied directly to a surface of said carbon-containing component.